

# CARESSA


---

Coated Fabric




**MAYER**FABRICS

# Coated Fabric



CA-077 Ivory



CA-137 Pearl



CA-097 Flax



CA-032 Lemon



CA-061 Cameo



CA-127 Bone



CA-047 Doe




CA-012 Mojave




CA-042 Butter



CA-021 Red Pepper



CA-117 Sand



CA-027 Buff




CA-060 Caramel



CA-002 Butterscotch




CA-001 Ruby




CA-107 Pebble



CA-087 Oatmeal



CA-070 Rawhide



CA-029 Ochre



CA-018 Magenta



CA-037 Papyrus



CA-030 Taupe



CA-050 Saddle




CA-039 Tangerine




CA-005 Aubergine



CA-090 Mocha



CA-000 Coco



CA-019 Bittersweet



CA-011 Lipstick



CA-041 Burgundy



CA-040 Java



CA-010 Chocolate



CA-009 Red Clay



CA-051 Paprika



CA-014 Admiral

Upholstery

80% Vinyl - Phthalate Free face,  
20% Polyester backing

54 inches / 137 cm

Passes 650,000 Double Rubs

Soil and Stain Resistant Top Coat  
with Ink Resistant Technology

GREENGUARD Certified

# CARESSA



CA-103 Lime




CA-123 Parsley



CA-113 Jade




CA-076 Aluminum




CA-053 Laurel



CA-084 Aqua



CA-116 Glacier



CA-106 Cloud



CA-096 Dove



CA-133 Ivy



CA-094 Calypso



CA-066 Zinc




CA-046 Stone




CA-086 Quarry




CA-114 Pacific



CA-064 Cerulean




CA-104 Bluestone



CA-026 Granite



CA-080 Bark




CA-004 Navy



CA-124 Skipper



CA-044 Cadet



CA-016 Pewter



CA-006 Black

# CARESSA

---

## TECHNICAL INFORMATION

Application: Upholstery

Content: 80% Vinyl - Phthalate Free face, 20% Polyester backing

Weight: 29 oz./linear yard / 899.10 g/lm

Width: 54 inches / 137 cm

Finish: Soil and Stain Resistant Top Coat with Ink Resistant Technology

Approx. Repeat: None

Directional: No

Shown Railroaded: No

---

## PERFORMANCE

Abrasion: Passes 650,000 Double Rubs

(Wyzenbeek/Cotton Duck)

Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan. Multiple factors affect fabric durability and appearance retention.

Crocking: Dry: Grade 4 min / Wet: Grade 4 min

Colorfastness to Light: Grade 4.5 at 1000 hours

---

## FLAMMABILITY

California Technical Bulletin 117-2013

NFPA 260/UFAC Class 1

FMVSS 302

---

## REDUCED ENVIRONMENTAL IMPACT

This product is GREENGUARD Certified for low chemical and particle emissions to UL standard UL 2818 and may contribute to LEED certification. For complete information visit [mayerfabrics.com](http://mayerfabrics.com).

No FR Additives    No Antimicrobial Additives    Phthalate Free

---

## CLEANING INFORMATION

BC: Bleach Cleanable –

1 part bleach, 9 parts water = 10% bleach, 90% water solution.

CFC: Coated Fabrics Cleaning – Refer to Mayer website for complete cleaning info.

---

## DYE TRANSFER DISCLAIMER

Certain clothing and accessory dyes (such as those used on denim jeans) may migrate to lighter colors. This phenomenon is increased by humidity and temperature and is irreversible. Mayer Fabrics will not assume responsibility for dye transfer caused by external contaminants. Please check compatibility when using this product in combination with painted or varnished surfaces.

---

## ADDITIONAL INFORMATION

All patterns can be custom colored. Minimum yardage applies.

Digital Swatch Card Color Matching: Due to color variations on different monitors and color printers, actual swatch colors may vary slightly. Please request a memo sample from Mayer Fabrics to ensure proper color representation.

Complete and current product information available at [mayerfabrics.com](http://mayerfabrics.com).

---

©2004

MFO421 50121



 **MAYER FABRICS**



T 800.428.4415    [mayerfabrics.com](http://mayerfabrics.com)  
500 S. Kitley Ave. Indianapolis, IN 46219